



Santa Rosa County Life Safety/Fire Prevention Department

Santa Rosa County Public Service Center
6051 Old Bagdad Highway, Room 202
Milton, Florida 32583

John T. "Tim" Tolbert
Building Official
Skip Tompkins
Compliance Division Superintendent

Telephone
850.981.7000
Fax 850.623.1208

Tambre L. Lee
Fire Inspector/ Plans Examiner
Annie Sue Rambo
Fire Inspector

Public Fireworks Display Permit Application

****Attention:** If your job is located within the city limits of Milton or Midway Fire Protection District, please do not fill out this application. You will need to contact the City of Milton Fire Department or Midway Fire Department **

Date_____

L/S Permit #_____
Bldg. Permit #_____

Office Use Only

Project Name:_____

Project Physical Address:_____

Date of Display:_____ Time Display to Start:_____

Display Sponsor:_____

Contact Person:_____ Phone Number:_____ Cell_____

Local Fire District:_____

Approximate number and type of fireworks to be discharged:

Notice to Applicant:

- (1) Please provide a diagram of the grounds and/or vessel on which the outdoor fireworks display is to be held, showing the size of the grounds and/or vessel and the point at which the fireworks are to be discharged. Please include the location of all buildings, highways and power lines for all land based displays. Include location of docks, bridges and power lines for all floating displays. Please indicate method used to restrain audience from entering the display area as well as any other overhead obstructions.
- (2) A minimum of one type 4A: 60BC fire extinguisher manned by capable personnel to extinguish a fire in an emergency is required in both discharge and storage areas.
- (3) A minimum of one manned fire apparatus from the local fire district as well as medical personnel is required to be on scene during the fireworks display.
- (4) Inspection by our department required on the scheduled date of the display, prior to discharging of fireworks. Please notify our office 24 hours prior to scheduled date of display to schedule the inspection.

The County Fire Official may revoke the fireworks display permit at any time a hazardous condition should arise.

I UNDERSTAND THE GENERAL REGULATIONS STATED ABOVE AND AGREE THAT IF AT ANY TIME OF INSPECTION, THE SITE DOES NOT MEET THESE STANDARDS; THE FIRE OFFICIAL HAS THE AUTHORITY TO REQUIRE CORRECTIVE ACTION.

Signature of Person Applying

Printed Name of Applicant